



Mod. SM.2

High Precision Soil Temperature and Moisture Sensor

Highlighted specs


- High precision
- IP68 waterproof
- No corrosion from fertilizers
- AISI 316L electrodes
- WMO standards compliant
- High dynamic response (VWC)
- Available with various signal output
- According to C€ norms

The SM-2 soil moisture sensor is a very precise sensor which integrates temperature and soil moisture measurements in a single instrument. The operating principle is based on the FDR (Frequency Domain Reflectometry 70MHz) system for a precise measurement of the soil dielectric constant and therefore to measure the volume of soil moisture content. For the temperature part it uses a PT100 thermo-resistance sensor. Steel spikes are placed into the surface of the ground or in a section for a quick measurement of the ground parameters. It can be left permanently in the ground or used to make quick and accurate measurements. This sensor is built according to the WMO standards.

Measure	Humidity (VWC)	Temperature	
Range	0-100% m ³	-40°C ÷ +80°C	
Accuracy	± 3% value (0-50%), 0.06% volume	± 0.2°C	
Resolution (m³/m³)	<0.002 m ³ /m ³	<0.05°C	
Signal Output	4÷ 20mA, 0÷2V, (ModBus RS485 optional)		
Response time	<1s		
Power supply and consumption	12÷24Vdc (max 12mA ÷ 60mA)		
Measure area	7-10cm ray around probe		
Made of	ABS		
Size	71 x 45 x 16mm (spikes Ø4 x 55mm) 5m cable		
Operative range	-30 ÷ +70°C		
Protection	IP68		
Spikes	Inox 316L		

Size and connections

Wire	Analog output	Modbus RS485 output		
Red	+ 12/24 Vdc	+ 12/24 Vdc		
Black	GND common	GND common		
Blue	Out temperature °C	N.C.		
Brown	Out humidity Rh%	% N.C.		
Yellow	N.C.	RS485A		
White	N.C.	RS485B		



Order Code

Sensor	High Precision Soil Temperature and Moisture Sensor		SM.2		
=	0÷2Vdc			Α	
Output	4÷20mA		В		
O	RS485 - Modbus			С	
jes	CS05 – Cable 5m sensor-datalogger				05
Accessories	CS10 – Cable 10m sensor-datalogger			10	
Acc	CSxx – Cable xx* m length, sensor-datalogger – to be specified at order				xx
*specify the length for no standard measures		example of order code	SM.2	Α	10